

1.1. Product identifier

# SAFETY DATA SHEET

# Jangro - DISHWASH DETERGENT - FOR HARD WATER

SECTION 1:	Identification of t	ne substance/mixture	and of the c	ompany/undertaking	
					-

	Product name	Jangro - DISHWASH DETERGENT - FOR HARD WATER	
	Product number	A009 JA	
	Internal identification	BB070-20, BB070-10 & BB070-5	
1.2. Relevant identified uses of the substance or mixture and uses advised against			
	Identified uses	Alkaline Liquid Detergent for Dish Washing Machines.	
	1.3. Details of the supplier of the safety data sheet		

Supplier

Jangro Limited Jangro House Worsley Road Farnworth Bolton. UK BL4 9LU Tel: 0845 458 5223 Fax: 01204 579 499 centraloffice@jangrohq.net

#### 1.4. Emergency telephone number

Emergency telephone

01772 318 818 - 8.30am to 4.45pm - Mon to Fri

**SECTION 2: Hazards identification** 

#### 2.1. Classification of the substance or mixture

**Classification** 

Physical hazards

Not Classified

Health hazards

Skin Corr. 1A - H314 Eye Dam. 1 - H318

# Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC) C;R35.

# 2.2. Label elements

Pictogram



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

**Precautionary statements** 

P102 Keep out of reach of children.

P260 Do not breathe mist.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/attention.

P501 Dispose of contents/container in accordance with local regulations.

Contains

SODIUM HYDROXIDE

# 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

SODIUM HYDROXIDE			15-20%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-27-xxxx	
Classification		Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290		C;R35	
Skin Corr. 1A - H314			
The Full Text for all R-Phras	ses and Hazard Statemer	nts are Displayed in Section 16.	

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### Inhalation

Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

#### Ingestion

Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.

#### Skin contact

Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.

#### Eye contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

#### Inhalation

Irritation of nose, throat and airway.

#### Ingestion

May cause chemical burns in mouth and throat.

## Skin contact

Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.

# Eye contact

Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

# 4.3. Indication of any immediate medical attention and special treatment needed

# Notes for the doctor

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

## 5.2. Special hazards arising from the substance or mixture

### Specific hazards

Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.

# 5.3. Advice for firefighters

### Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

# SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

### Personal precautions

Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

### 6.2. Environmental precautions

### **Environmental precautions**

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

# 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

# 6.4. Reference to other sections

#### Reference to other sections

For personal protection, see Section 8.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

# Usage precautions

Wear protective gloves, eye and face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Storage precautions

Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.

# 7.3. Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

# Usage description

See Product Information Sheet & Label for detailed use of this product.

# SECTION 8: Exposure Controls/personal protection

# 8.1. Control parameters

# Occupational exposure limits

# SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m3

WEL = Workplace Exposure Limit

# 8.2. Exposure controls

# Protective equipment





# Appropriate engineering controls

Not relevant.

# Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

# Hand protection

Wear protective gloves. (Household rubber gloves.)

# Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

### **Respiratory protection**

Respiratory protection not required.

## **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

### Appearance

Liquid.

# Colour

Clear. Colourless. to Pale pink. (Un-dyed)

#### Odour

Characteristic.

# pН

pH (diluted solution): 11.90 @ 3ml / L

Melting point

-2°C

# Initial boiling point and range

102°C @ 760 mm Hg

# Flash point

Boils without flashing.

# Relative density

1.242 @ 20°C

# Solubility(ies)

Soluble in water.

# 9.2. Other information

Other information

None.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reactions with the following materials may generate heat: Strong acids.

# 10.2. Chemical stability

# Stability

No particular stability concerns.

## 10.3. Possibility of hazardous reactions

See sections 10.1,10.4 & 10.5

# 10.4. Conditions to avoid

There are no known conditions that are likely to result in a hazardous situation.

#### 10.5. Incompatible materials

### Materials to avoid

Strong acids. Aluminium, Tin, Zinc and their alloys.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

### **Toxicological effects**

We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

# SECTION 12: Ecological Information

### Ecotoxicity

Potentially hazardous due to the alkalinity of the product.

### 12.1. Toxicity

We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

# 12.2. Persistence and degradability

#### Persistence and degradability

Sequestrant is readily degraded during biological effluent treatment processes.

#### 12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

# 12.4. Mobility in soil

Mobility

Not known.

#### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Not known.

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

# **Disposal methods**

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

# SECTION 14: Transport information

# 14.1. UN number

		angro - DISHWASH DETERGENT - FOR HARD WATER
UN No. (ADR/RID)	J	1719
UN No. (IMDG)		1719
UN No. (ICAO)		1719
14.2. UN proper shippin	na name	
Proper shipping name	ng namo	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution)
(ADR/RID)		
Proper shipping name	(IMDG)	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution)
Proper shipping name	(ICAO)	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution)
Proper shipping name	(ADN)	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution)
14.3. Transport hazard	class(es	3)
ADR/RID class		Class 8: Corrosive substances.
ADR/RID label		8
IMDG class		Class 8: Corrosive substances.
ICAO class/division		Class 8: Corrosive substances.
ICAO subsidiary risk		
Transport labels		
	Per s	
14.4. Packing group		
ADR/RID packing grou	р	Н
IMDG packing group		II
ICAO packing group		Ш
14.5. Environmental ha	zards	
	dous sut	ostance/marine pollutant
No.		
14.6. Special precautio	ns for us	
EmS		F-A, S-B
Emergency Action Cod		
Hazard Identification N (ADR/RID)	umber	
Tunnel restriction code		(E)
14.7. Transport in bulk	accordir	ig to Annex II of MARPOL73/78 and the IBC Code
Not relevant. for a pack	kaged pro	oduct.

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU legislation

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC - classification, packaging & labelling of dangerous substances & GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

### Guidance

Workplace Exposure Limits EH40.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

# **SECTION 16: Other information**

#### Key literature references and sources for data

Material Safety Data Sheet, Misc. manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. CHIP Class - Table 3.2 The list of harmonised classification and labelling of hazardous substances from Annex I to Directive 67/548/EEC. ECHA - C&L Inventory database.

### **Revision comments**

This product is now using classification from GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

Revision date	06/05/2015
Revision	Issue 8
SDS status	The Risk Phrases / Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Risk Phrases / Hazard Statements relating to this Product see Section 2.
Risk phrases in full	
	R35 Causes severe burns.
	R36/38 Irritating to eyes and skin.
Hazard statements in full	
	H290 May be corrosive to metals.
	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.